Eaton 170M2708

Catalog Number: 170M2708

Eaton Bussmann series high speed square body fuse, 700V (UL), 690V (IEC), 25A, 200 kAIC, Top fuse status indicator, Fuse, Blade end X blade end, Class aR, DIN 43 620

00 00

EAN

Product Height



Product Name Catalog Number

Eaton Bussmann series high speed 170M2708

square body fuse

UPC

051712254281

Product Width

Product Length/Depth

5027590442909 64 mm

02.000.12000

62 mm 30 mm

Product Weight Warranty

211 g Not Applicable

Compliances Certifications
CE Marked UL Recognized
RoHS Compliant IEC Rated



Interrupt rating

200 kAIC

Center-to-center distance of connections

64 mm

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Mounting method

DIN 43 620

Flush

Amperage Rating

25 A

Fuse type

Flush end

00B/60 Visual indicator

Fuse system (according to IEC 60269)

IEC 60269-4 flush end connections type A

Fuse size

00

Voltage rating

690 V (IEC)

Fuse indicator

Top fuse status indicator

Construction size

00

Clearing (I2T)

130 at 660 V

Rated voltage AC

690 V

Color

None

Connection

Blade end x blade end

Mounting dimension

M8

Utilization category

gR (general purpose semiconductor protection)

Watt losses

6 W

Type

Fuse

Fuse shape

Square body, flush end contacts

Breaking capacity

200 kA

Class

Class gR

Pre arc (I2T)

19

Application

semiconductor protection

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia