

Eaton 170M3308

Catalog Number: 170M3308

Fuse-link, high speed, 40 A, AC 690 V, compact size 1, 45 x 59 x 102 mm, aR, IEC, UL, visual indicator



□ □

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M3308
	UPC
	051712255578
EAN	Product Length/Depth
5704057021166	59 mm
Product Height	Product Width
102 mm	45 mm
Product Weight	Warranty
295 g	Not Applicable
Compliances	Certifications
CE Marked	IEC Rated
RoHS Compliant	UL Recognized

Fuse indicator

Non Indicating

Interrupt rating

200 kAIC

Clearing (I2T)

270 at 660 V

Amperage Rating

40 A

Utilization category

aR (accompanied semiconductor protection)

Watt losses

9 W

Fuse type

French style

E/Type indicator for micro

Type

Square body French style -E/ type T indicator for micro

Fitted with:

Type T Indicator for micro

Fuse shape

Square Body size 1* to 3, French style

Fuse size

1*

Class

Class aR

Pre arc (I2T)

40

Voltage rating

700 V (UL), 690 V (IEC)

Application

DC common bus DC drives power converters/rectifiers reduced
voltage starters

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)