

Eaton 170M3808D

Catalog Number: 170M3808D

Eaton Bussmann series high speed square body fuse, 700V (UL), 690V (IEC), 40A, 200 kAIC, Combination fuse status indicator, Fuse, Din 43-620 blade end X Din 43-620 blade end, Class aR



□ □

Product Name

Eaton Bussmann series high speed square body fuse

Catalog Number

170M3808D

UPC

051712334945

EAN

5027590450065

Product Length/Depth

135 mm

Product Height

64 mm

Product Width

40 mm

Product Weight

423.5 g

Warranty

Not Applicable

Compliances

CE Marked

Certifications

IEC Rated

UL Recognized

EATON

Powering Business Worldwide

Interrupt rating

200 kAIC

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Amperage Rating

40 A

Fuse type

DIN 43620

Bladed

Fuse system (according to IEC 60269)

Other

Fitted with:

Dual indicator

Fuse size

1

Voltage rating

690 V (IEC), 700 V (UL)

Fuse indicator

Combination fuse status indicator

Construction size

1

Clearing (I²T)

285 at 660 V

Rated voltage AC

690 V

Color

None

Connection

Din 43-620 blade end x Din 43-620 blade end

Utilization category

aR (accompanied semiconductor protection)

Watt losses

4 W

Type

Fuse

Fuse shape

Square body, knife blade contacts

Breaking capacity

200 kA

Class

Class aR

Pre arc (I2T)

40

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)