

Eaton 170M4802

Catalog Number: 170M4802

Eaton Bussmann series high speed square body fuse,20A,125 kAIC,Class aR,Blade end X Din 43-620 blade end,DIN 43 620,Standard,Clearing at 1000V: 140,square body with centre-bolted tags (slotted),Top fuse status indicator,20,5W



□ □

Product Name

Eaton Bussmann series high speed square body fuse

Catalog Number

170M4802

Model Code

FUSE 20A 1000V 00/80 AR

UPC

051712679183

EAN

5027590454186

Product Length/Depth

233 mm

Product Height

66 mm

Product Width

140 mm

Product Weight

225.8333333 g

Warranty

Not Applicable

Compliances

CE Marked
RoHS Compliant

Certifications

IEC Rated
UL Recognized

□□ □□

□□□

Interrupt rating

125 kAIC

Center-to-center distance of connections

78 mm

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Amperage Rating

20 A

Fuse type

DIN 43653

00/80 Visual indicator

Bolted tag

Fuse system (according to IEC 60269)

Other

Fuse size

00

Voltage rating

1000 V (IEC)

Fuse indicator

Top fuse status indicator

Construction size

00

Clearing (I2T)

140 at 1000 V

Rated voltage AC

1000 V

Color

None

Connection

Blade end x Din 43-620 blade end

Mounting dimension

M10

Utilization category

aR (accompanied semiconductor protection)

Watt losses

5 W

Type

Fuse

Fuse shape

Square body, slotted center bolted tags

Breaking capacity

125 kA

Class

Class aR

Pre arc (I²T)

20

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)