

CH14x51 gG 2A/690V



Specifications

ETI Code	002630001
Description	CH14x51 gG 2A/690V
Weight	18.75
Level	Cilindrical fuse links gG
Product group	C low Voltage cylindrical fuses
Characteristics	gG
Rated AC voltage (V)	690
Rated current (A)	2
Type	CH
Size	CH14
Breaking capacity AC (kA)	80
Dimensions	14x51

Online product page

Other documentation



[EU declaration](#)

[Technical data catalogue](#)




ETIM international clasification

Nominal current	2A
Size	14x51 mm
Rated voltage	AC 690 V
With striker	


Cut-off current characteristics

Cut-off current characteristics
CH14




Melting energy characteristics

Melting energy characteristics I²t
CH14




Time current characteristics

Time current
characteristics I/t, gG
CH14



Dimension drawing



	a	$b_{\text{max.}}$	c	$d_{\text{min.}}$	r
8 x 32	$31,5 \pm 0,5$	6,7	$8,5 \pm 0,1$	4	$1 \pm 0,5$
10 x 38	$38,0 \pm 0,6$	10,5	$10,3 \pm 0,1$	6	$1,5 \pm 0,5$
14 x 51	$51,0 + 0,6 / -1$	13,8	$14,3 \pm 0,1$	7,5	± 1
22 x 58	$58,0 + 0,1$	16,2	$22,2 \pm 0,1$	11	± 1