

CH22x58 gG 100A/500V



Specifications

ETI Code	002640025
Description	CH22x58 gG 100A/500V
Weight	52
Level	Cilindrical fuse links gG
Product group	C low Voltage cylindrical fuses
Characteristics	gG
Rated AC voltage (V)	500
Rated current (A)	100
Type	CH
Size	CH22
Breaking capacity AC (kA)	120
Dimensions	22x58

Online product page 

Other documentation



[EU declaration](#)

[Technical data catalogue](#)




ETIM international clasification

Nominal current	100A
Size	22x58 mm
Rated voltage	AC 500/600 V
With striker	


Melting energy characteristics

Melting energy characteristics I^2t
CH22




Time current characteristics

Time current
characteristics I/t, gG
CH22



Dimension drawing



	a	$b_{\text{max.}}$	c	$d_{\text{min.}}$	r
8 x 32	$31,5 \pm 0,5$	6,7	$8,5 \pm 0,1$	4	$1 \pm 0,5$
10 x 38	$38,0 \pm 0,6$	10,5	$10,3 \pm 0,1$	6	$1,5 \pm 0,5$
14 x 51	$51,0 + 0,6 / - 1$	13,8	$14,3 \pm 0,1$	7,5	± 1
22 x 58	$58,0 + 0,1$	16,2	$22,2 \pm 0,1$	11	± 1