

# CH22x58 gG 16A/690V



## Specifications

ETI Code	002640009
Description	CH22x58 gG 16A/690V
Weight	52
Level	Cilindrical fuse links gG
Product group	C low Voltage cylindrical fuses
Characteristics	gG
Rated AC voltage (V)	690
Rated current (A)	16
Type	CH
Size	CH22
Breaking capacity AC (kA)	80
Dimensions	22x58

Online product page

## Other documentation



[EU declaration](#)

[Technical data catalogue](#)




## ETIM international clasification

Nominal current	16A
Size	22x58 mm
Rated voltage	AC 690 V
With striker	




# Melting energy characteristics

Melting energy characteristics  $I^2t$   
CH22





## Dimension drawing



	$a$	$b_{\text{max.}}$	$c$	$d_{\text{min.}}$	$r$
8 x 32	$31,5 \pm 0,5$	6,7	$8,5 \pm 0,1$	4	$1 \pm 0,5$
10 x 38	$38,0 \pm 0,6$	10,5	$10,3 \pm 0,1$	6	$1,5 \pm 0,5$
14 x 51	$51,0 + 0,6 / -1$	13,8	$14,3 \pm 0,1$	7,5	$\pm 1$
22 x 58	$58,0 + 0,1$	16,2	$22,2 \pm 0,1$	11	$\pm 1$