


Fuse Holder PCB Mount,panel mount,10A,250VAC, 6 x 30mm

1. Product Name:Fuse Holder
2. model:MF550.
3. Voltage breakdown:AC2500 1minute
4. insulation resistance:DC 500V 100MΩ Min
5. Rating:10A 250VAC
6. Temperature tolerance:-20° C -150° C
7. Standard:IEC-60335-1 GB_9364.6-2001
8. Certification:ISO9001, ROHS,
9. Mounting Ways:PCB Mount
10. Material:Hot Silicone PBT, Phosphorous Copper
11. Fuse size:6*30mm Fuse
12. Application:Suitable for circuit board installation of all electronic appliances, power supplies and other equipment



规格书Regulation book



With integral protection against electric shock. Fuse-holders shall have live parts inaccessible to IEC 529 1mm diameter rigid test wire when fully assembled, without fuse carrier or fuse in place and when fuse carrier, with fuse is being inserted or withdrawn.

Panel mount blade fuse holder of features

- Reduce risk of damage to electrical components
- Fully enclosed plastic casing
- Small, compact and neat
- Wide variety of fuse sizes available to suit any application

Panel mount fuse holder waterproof of application field

- Lighting
- Illuminated signs
- Vehicle electrical circuits
- general circuit protection